

# OCM 400 JACK UP BARGE

C7 Combifloat JU Modular Pontoon  
30.5m x 18.5m DECK LOAD 400t



## GENERAL

|                |                               |
|----------------|-------------------------------|
| Type           | C7-400 Modular Self Elevation |
| Platform       |                               |
| Classification | Combifloat Pontoons C7        |

## VESSEL PARTICULARS

|                     |          |       |
|---------------------|----------|-------|
| Length              | 24m      | 30m   |
| Breadth             | 18m      | 18m   |
| Height              | 2.1m     | 2.1m  |
| Deck Load           | 15T /M2  | 400T  |
| Available Deck Area | 432m2    |       |
| Leg Length          | 30m      | 48.5m |
| Leg Diameter (OD)   |          | 1.1m  |
| Moonpool            | Optional |       |

## WEIGHTS

|                        |     |
|------------------------|-----|
| Pontoon Weight ( Each) | 17T |
| Jacking Units (Each)   | 25T |
| Leg ( Each)            | 30T |

**Ocean Crest Marine Ltd**  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM 400 JACK UP BARGE

C7 Combifloat JU Modular Pontoon  
30.5m x 18.5m DECK LOAD 400t



## OCM DECK EQUIPMENT

|                    |                                      |
|--------------------|--------------------------------------|
| Power Pack         | 2No Deutz F6L912 Air-cooled          |
| Canteen & Workshop | 20T Container                        |
| Hand Railings      | Vessel Perimeter                     |
| Day Shapes         | Yes                                  |
| Navigation lights  | Yes                                  |
| Mooring Winches    | 4No 15T Winches , Fairleads & Roller |
| Access Ladder      | Vertical                             |
| Gangway            | Yes / Available                      |

## OTHER INFORMATION

No Of Truck Movements 29 No

**Ocean Crest Marine Ltd**  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM 110 JACK UP BARGE

C5 Combifloat JU Modular Pontoon  
18m x 18m DECK LOAD 110t



## GENERAL

Type C5-110 Modular Self Elevation Platform  
Classification Combifloat Pontoons C5

## VESSEL PARTICULARS

Length 18.3m  
Breadth 18.3m  
Height 1.52m  
Deck Load 15T /M2

Available Deck Area 324m2  
Leg Length 18m  
Leg Diameter (OD) 0.762mm  
Moonpool 2No x 330mm Approx  
Deck Lift Capacity 110T

## WEIGHTS

Pontoon Weight ( Each) 13.1T  
Duofloat 13.8T (2 No)  
Jacking Units (Each) 5T  
Leg (Each) 15.7T (Full Sections)

**Ocean Crest Marine Ltd**  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM 110 JACK UP BARGE

C5 Combifloat JU Modular Pontoon  
18m x 18m DECK LOAD 110t



## OCM DECK EQUIPMENT

|                    |                         |
|--------------------|-------------------------|
| Power Pack         | Deutz F6L912 Air-cooled |
| Canteen & Workshop | 20T Container           |
| Hand Railings      | Vessel Perimeter        |
| Day Shapes         | Yea                     |
| Access Ladder      | Vertical                |
| Gangway            | Yes / Available         |

## ADDITIONAL INFORMATION

No of Truck Movements 9No (7No 40ft & 2No 60ft)

**Ocean Crest Marine Ltd**  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM 80 Mariner JACK UP BARGE

C5 Combifloat JU Modular Pontoon  
18m x 12m DECK LOAD 80t



## GENERAL

|                |                                       |
|----------------|---------------------------------------|
| Type           | C5-80 Modular Self Elevation Platform |
| Classification | Combifloat Pontoons C5                |

## VESSEL PARTICULARS

|                     |                     |
|---------------------|---------------------|
| Length              | 18.3m               |
| Breadth             | 12m                 |
| Height              | 1.52m               |
| Deck Load           | 15T /M2             |
| Available Deck Area | 200m2               |
| Leg Length          | 18m or 27m          |
| Leg Diameter (OD)   | 0.762mm             |
| Moonpool            | 1 No x 330mm Approx |
| Deck Lift Capacity  | 80T                 |

## WEIGHTS

|                        |                           |
|------------------------|---------------------------|
| Pontoon Weight ( Each) | 13.1T                     |
| Duofloat               | 13.8T (2 No) or 6.9T Each |
| Jacking Units (Each)   | 5T                        |
| Leg (Each)             | 15.7T (Full Sections)     |

**Ocean Crest Marine Ltd**  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM 80 Mariner JACK UP BARGE

C5 Combifloat JU Modular Pontoon  
18m x 12m DECK LOAD 80t



## OCM DECK EQUIPMENT

|                    |                         |
|--------------------|-------------------------|
| Power Pack         | Deutz F6L912 Air-cooled |
| Canteen & Workshop | 20T Container           |
| Hand Railings      | Vessel Perimeter        |
| Day Shapes         | Yes                     |
| Access Ladder      | Vertical                |
| Gangway            | Yes / Available         |

## ADDITIONAL INFORMATION

No of Truck Movements 7No (5No 40ft & 2No 60ft)

Ocean Crest Marine Ltd  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM 50 JACK UP BARGE

C5 Combifloat JU Modular Pontoon  
15m/12m/9m x 12m DECK LOAD 50t



## GENERAL

|                |                                       |
|----------------|---------------------------------------|
| Type           | C5-50 Modular Self Elevation Platform |
| Classification | Combifloat Pontoons C5                |

## VESSEL PARTICULARS

|                     |                      |
|---------------------|----------------------|
| Length              | 15m/12m/9m           |
| Breadth             | 12m                  |
| Height              | 1.52m                |
| Deck Load           | 15T /M2              |
| Available Deck Area | 180m2 / 144m2/ 108m2 |
| Leg Length          | 18m                  |
| Leg Diameter (OD)   | 0.762mm              |
| Moonpool            | 2No x 330mm Approx   |
| Deck Load Capacity  | 50t                  |

## WEIGHTS

|                        |                    |
|------------------------|--------------------|
| Pontoon Weight ( Each) | 7T                 |
| Jacking Units (Each)   | 3T                 |
| Leg (Each)             | 6T (Full Sections) |

Ocean Crest Marine Ltd  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM 50 JACK UP BARGE

C5 Combifloat JU Modular Pontoon  
15m/12m/9m x 12m DECK LOAD 50t



## OCM DECK EQUIPMENT

Power Pack

Canteen & Workshop

Hand Railings

Day Shapes

Access Ladder

Gangway

Deutz F6L912 Air-cooled

20T Container

Vessel Perimeter

Yea

Vertical

Yes / Available

## ADDITIONAL INFORMATION

No of Truck Movements 5No (3No 40ft & 2No 60ft)

**Ocean Crest Marine Ltd**  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# Costal Explorer JACK UP BARGE

Modular Pontoon  
9m x 14m  
6m x 14m  
DECK LOAD 40t

## GENERAL

Type

UNICAT Triple Hull - Self Propelled  
Road Transportable Shallow Draft

## VESSEL PARTICULARS

|                     |                    |
|---------------------|--------------------|
| Length              | 14m                |
| Breadth             | 6m Or 9m           |
| Height              | 1.53m              |
| Deck Load           | 10T M2             |
| Available Deck Area | 80m2               |
| Leg Length          | 20m                |
| Leg Diameter (OD)   | 0.762mm            |
| Moonpool            | 2No x 330mm Approx |
| Deck Lift Capacity  | 40T                |

## WEIGHTS

|                        |                     |
|------------------------|---------------------|
| Pontoon Weight ( Each) | 13.1T               |
| Jacking Units (Each)   | 2.5T                |
| Leg (Each)             | 20T (Full Sections) |



# Costal Explorer JACK UP BARGE

Modular Pontoon  
9m x 14m  
6m x 14m  
DECK LOAD 40t


## OCM DECK EQUIPMENT

|                    |                                 |
|--------------------|---------------------------------|
| Main Engines       | Twin Mermaid Mariner Ford 122HP |
| Canteen & Workshop | Available                       |
| Hand Railings      | Vessel Perimeter                |
| Day Shapes         | Yes                             |
| Access Ladder      | Vertical                        |
| Gangway            | Yes / Available                 |

## ADDITIONAL INFORMATION

No of Truck Movements 4No

**Ocean Crest Marine Ltd**  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728





# OCM Ravestein 4084 Pontoons

18No Road Transportable Units



## GENERAL

18 No Ravestein Pontoon Units

## VESSEL PARTICULARS ( Each Pontoon )

|                 |                                  |
|-----------------|----------------------------------|
| Length          | 12.1m                            |
| Breadth         | 2.436m                           |
| Depth           | 1.219mm                          |
| Max Draft       | 1.0m                             |
| Load Capacity   | 22tn                             |
| Deck load       | 4t/m2                            |
| Total Deck Area | 360m2 ( 12Pontoons at 30mx 12m ) |

## WEIGHT

Weight 8.45t Each

## ADDITIONAL INFORMATION

2No 18m Spud legs  
Hydraulic Spud Legs Operation  
Road Transportable  
Pontoon arrangement can be reconfigured to specific project requirements.

Suitable arrangement for Dredging, Piling or Crane Barge

Ocean Crest Marine Ltd  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM Baby Blue Barges

9 Nato Pontoons With Folding Spud  
Legs



## GENERAL

Type Nato Pontoon Platform

## VESSEL PARTICULARS

Length 4.2m  
Breadth 2.1m  
Height 0.700m

Available Deck Area Made To suit Specific Requirements  
Leg Length 6m or 12m  
Moonpool Available ( 300mm Diameter )

## WEIGHTS

Pontoon Weight ( Each ) 1.25T  
Rotating Spud Units 1T  
Leg ( Each ) 6 m 150kg each , 12m 300kg each  
Deck Capacity 2.5t (Each)

Ocean Crest Marine Ltd  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM Baby Blue Barges

Nato Pontoons With Folding Spud Legs



## OCM DECK EQUIPMENT


|               |                  |
|---------------|------------------|
| Power Pack    | Yes              |
| Hand Railings | Vessel Perimeter |
| Day Shapes    | Yea              |
| Crane         | Palfinger Crane  |
| Winch         | Yes / Available  |
| Gangway       | Yes / Available  |

## OTHER INFORMATION

Road Transportable  
Electric or Hydraulic Spud Legs  
Spud legs Fold To Allow Transit Under Bridges .  
Pontoon Deck Area Can Be Increased / Decreased to Suit

Ocean Crest Marine Ltd  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 120 7728





# OCM Fortress

## Road Transportable Aluminium Work Boat



### GENERAL

Type Aluminium Tug Work Boat

### VESSEL PARTICULARS

|                     |           |
|---------------------|-----------|
| Length              | 11m       |
| Breadth             | 3m        |
| Draft               | 1.1mm     |
| Construction        | Aluminium |
| Bollard Pull        | 2t        |
| Fuel                | Diesel    |
| Engine              | Perkins   |
| Power               | 215Hp     |
| Propulsion Thruster | Shaft     |

### WEIGHT

Weight 7t

### ADDITIONAL INFORMATION

Road Transportable

Speed 16Knots

Very manoeuvrable and efficient vessel with shallow draft

Ocean Crest Marine Ltd  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM Geo

Road Transportable  
Work /Crew / Survey / Safety Boat



## GENERAL

Type Work / Crew / Survey / Safety Boat

## VESSEL PARTICULARS

|                     |                      |
|---------------------|----------------------|
| Length              | 8m                   |
| Breadth             | 2.3m                 |
| Draft               | 500mm                |
| Construction        | Aluminium            |
| Fuel                | Diesel               |
| Engine              | Mercuriser (inboard) |
| Power               | 250Hp                |
| Propulsion Thruster | Propeller            |

## WEIGHT

Weight 1.5t

## ADDITIONAL INFORMATION

Road Transportable  
Speed 9 Knots  
Very Manoeuvrable, Efficient & Reliability Vessel

Ocean Crest Marine Ltd  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM Bully & Stubby

## 2No Road Transportable Work Boat's



### GENERAL

Type Steel Tug Work Boat

### VESSEL PARTICULARS

|                     |                                 |
|---------------------|---------------------------------|
| Length              | 7.45m                           |
| Breadth             | 2.48m                           |
| Draft               | 600mm                           |
| Construction        | Steel                           |
| Bollard Pull        | 2t                              |
| Fuel                | Diesel                          |
| Engine              | Deutz                           |
| Power               | 250Hp                           |
| Clutch              | Schottel K081                   |
| Propulsion Thruster | 2No Rudder Propeller Type SRP50 |

### WEIGHT

Weight 4.92t

### ADDITIONAL INFORMATION

Road Transportable  
Speed 6Knots  
Twin Schottle nits  
Very manoeuvrable and efficient vessel with shallow draft

Ocean Crest Marine Ltd  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM Supporter

## Road Transportable Crew / Push Boat



### GENERAL

Type Aluminium Crew / Push Boat

### VESSEL PARTICULARS

|                     |                |
|---------------------|----------------|
| Length              | 7.1m           |
| Breadth             | 2.4m           |
| Draft               | 300mm          |
| Construction        | Aluminium      |
| Fuel                | Petrol         |
| Engine              | Suzuki         |
| Power               | 115Hp          |
| Propulsion Thruster | Long Shaft 115 |

### WEIGHT

Weight 1t

### ADDITIONAL INFORMATION

Road Transportable  
Speed 20 Knots  
Very Manoeuvrable, Efficient & Reliability Vessel

Ocean Crest Marine Ltd  
[www.oceancrestmarine.ie](http://www.oceancrestmarine.ie)  
[marcus@oceancrestmarine.ie](mailto:marcus@oceancrestmarine.ie)  
Tel: +353 (87) 124 7728



# OCM Safety Boats

## Road Transportable



### GENERAL

Type Various small rescue / safety boats

### VESSEL PARTICULARS

Whaly

### WEIGHT

Weight 400kg

### VESSEL INFORMATION

OCM have a range of various small rescue / safety boats to support our Jack Up and floating barges.

These are extremely sturdy boats and are double-walled , manufactured entirely out of plastic (Polyethylene), so they are low-maintenance, and are a very durable boat.

All OCM boats are well maintained and crewed by skilled experienced operatives